

Contents

Letters to the Editor

- Type Ia supernovae: γ -rays as predicted by delayed detonation models and SN1991 T
Müller, E., Höflich, P., Khokhlov, A. L1
- Two distinct supergiant branches in the young Large Magellanic Cloud star cluster NGC 2214
Sagar, R., Richtler, T., de Boer, K.S. L5
- Interpreting asymmetric line profiles in merger remnants
Balcells, M. L9
- Oxygen and iron in Omega Centauri giants
Brown, J.A., Wallerstein, G., Cunha, K., Smith, V.V. L13
- Spectroscopic investigation of old planetaries. II. Detection of a "hybrid" central star
Napiwotzki, R., Schönberger, D. L16
- Rapid line variability of BD+37°1160, a possible optical counterpart of the X-ray source 1H 0521+373
Rossi, C., Norci, L., Polcaro, V.F. L19
- Evidence for strong activity in Population II binaries
Pasquini, L., Fleming, T., Spite, F., Spite, M. L23
- $^{29}\text{SiO } v=1$ maser emission from evolved stars: pumping of ^{29}SiO by ^{28}SiO through infrared line overlaps
Cernicharo, J., Bujarrabal, V., Lucas, R. L27
- Metal-rich globular clusters: giant branch morphology as a metallicity criterion
Ortolani, S., Barbuy, B., Bica, E. L31

Cosmology

- The lightest supersymmetric particle and the extragalactic γ -ray background
Yi-Tian Gao, Stecker, F.W., Cline, D.B. 1
- Dissipationless galaxy formation from non-isolated density perturbations
Voglis, N., Hiotelis, N., Höflich, P. 5
- Are the intermediate-scale cosmic background radiation anisotropies constrained by thermal emission of a very cold dust?
Andreani, P., Dall'Oglio, G., Martinis, L., Piccirillo, L., Pizzo, L., Rossi, L., Venturino, C. 299
- Probing pencil beams in pancake models
Buchert, T., Mo, H.J. 307

Extragalactic astronomy

- Stellar winds and UV extinction of OB stars in M 33 and M 31
Bianchi, L., Hutchings, J.B., Massey, P. 14
- A search for reflection features in the X-ray spectrum of NGC 4151
Maisack, M., Yaqoob, T. 25
- Extragalactic $^{18}\text{O}/^{17}\text{O}$ ratios and star formation: High-mass stars preferred in starburst systems?
Sage, L.J., Mauersberger, R., Henkel, C. 31
- Absorption line velocities and the distance to Supernova 1987 A
Hanuschik, R.W., Schmidt-Kaler, T.H. 36
- The anomalous radio features in NGC 4388 and NGC 4438
Hummel, E., Saikia, D.J. 43
- AN 0248+43: a cold highly luminous FIR-galaxy with two nonthermal nuclei
Kollatschny, W., Dietrich, M., Borgeest, U., Schramm, K.-J. 57
- The beaming model and Hubble diagram of BL Lacertae objects
Xie, G.Z., Liu, F.K., Liu, B.F., Lu, R.W., Li, K.H., Zhu, Y.Y. 65
- The soft X-ray variability of NGC 5548
Kaastra, J.S. 70
- CCD surface photometry of the low-luminosity radio galaxies containing radio jets B 2 0034+25 and B 2 0206+35
González-Serrano, J.I., Pérez-Fournon, I. 75
- The manifold of early-type galaxies from IR photometry in clusters of galaxies. The Virgo cluster
Recillas-Cruz, E., Carrasco, L., Serrano P.G., A., Cruz-González, I. 312
- Large $^{12}\text{CO}/^{13}\text{CO}$ intensity ratios in luminous mergers
Aalto, S., Black, J.H., Johansson, L.E.B., Booth, R.S. 323
- Extragalactic dust. IV. NGC 7625
Brosch, N., Loinger, F. 327
- (RN) A peculiar group of galaxies in the field of the BL Lacertae object H 0414+00
Falomo, R., Tanzi, E.G., Treves, A. 341
- On the origin of the optical and UV continuum in active galactic nuclei
Collin-Souffrin, S. 344

VLBI structures of low frequency variable sources at 608 MHz

- Padielli, L., Eastman, W., Gregorini, L., Mantovani, F., Spangler, S.* 351

Are H I-deficient galaxies of the Coma supercluster deficient in molecular gas?

- Casoli, F., Boissé, P., Combes, F., Dupraz, C.* 359

Evolutionary method of population synthesis for bulge-disc systems: optical-infrared colour-magnitude relation of spiral galaxies

- Arimoto, N., Jablonka, P.* 374

Erratum: The nuclear starburst activity in M 83: imaging at near-IR wavelengths

- Gallais, P., Rouan, D., Lacombe, F., Tiphène, D., Vauglin, I.* 594

Galactic structure and dynamics

 δm_1 , $\delta c_1 - E(b-y)$ relations in a magnitude-limited complete sample of A and F stars at the north galactic pole

- Knude, J.* 88

Stellar systems following the $R^{1/m}$ luminosity law

- Ciotti, L.* 99

Formation, structure and evolution of stars

The stability of slim accretion disks

- Wallinder, F.H.* 107

New constraints on neutron star models of gamma-ray bursts. II. X-ray observations of three gamma-ray burst error boxes

- Boer, M., Hurley, K., Pizzichini, G., Gottardi, M.* 118

On the physics of lithium depletion

- Schatzman, E., Baglin, A.* 125

Neutron capture nucleosynthesis and the evolution of 15 and 30 M_{\odot} mass-losing stars. II. The core carbon-burning phase

- Arcoragi, J.-P., Langer, N., Arnould, M.* 134

Studies of symbiotic stars. IV. IUE-optical-IR observations of AS 360

- Munari, U., Buson, L.M.* 141

Lithium in the pre-main sequence triple system UX Tauri

- Magazzù, A., Martin, E.L., Rebolo, R.* 149

Trace hydrogen in DB white dwarfs: GD408 – the lowest H abundance case

- Weidemann, V., Koester, D.* 389

A study of the spatially-resolved T Tauri system

- Maihara, T., Katata, H.* 392

The angular diameter of R Leonis at 2.16 μm

- Di Giacomo, A., Richichi, A., Lisi, F., Calamai, G.* 397

On the origin of the statistical correlation between rotation periods and apparent radii for CP 2 stars

- Hensberge, H., Van Rensbergen, W., Blomme, R.* 401

On the formation of WR + WR binaries

- Vrancken, M., De Greve, J.P., Yungelson, L., Tutukov, A.* 411

Nonlinear stellar pulsations. I. Numerical methods, basic physics, initial models and first results

- Dorfi, E.A., Feuchtinger, M.U.* 417

Stellar atmospheres

Analytical studies of collimated winds. II. Topologies of 2-D helicoidal MHD solutions

- Tsinganos, K., Trussoni, E.* 156

Empirical velocity laws for cool giants. I. The symbiotic binary EG Andromedae

- Vogel, M.* 173

Dust-driven winds. II. Are the grains the real cause of the motion?

- Berruyer, N.* 181

Atmospheric model parameters and shock wave field for the supergiant alpha Carinae (F0Ib)

- Achmad, L., de Jager, C., Nieuwenhuijzen, H.* 192

Observations of the inner core of the Southern Crab

- Burgarella, D., Clampin, M., Paresce, F.* 199

The A and Am-Fm stars. I. The abundances of Li, Al, Si, and Fe

- Burkhart, C., Couprie, M.F.* 205

A microwave survey of selected Algol systems with the VLA

- Umana, G., Catalano, S., Rodonó, M.* 217

The peculiar UV and optical spectrum of the LMC supergiant HD 269216

- Prinja, R.K., Schild, H.* 428

CO ($J=1-0$ and $2-1$) mapping of IRC+10216: a hot core model for the gas kinetic temperature distribution and the mass-loss rate

- Truong-Bach, Morris, D., Nguyen-Q-Rieu* 435

Spectral analyses of Wolf-Rayet stars: hydrogen abundances in WN subtypes

- Hamann, W.-R., Dünnebeil, G., Koesterke, L., Schmutz, W., Wessolowski, U.* 443

The outer layers of cool, non-Mira carbon stars

- Johnson, H.R.* 455

S Persei: optical and water maser variability – 1984 to 1990

- Little-Marenin, I.R., Benson, P.J., McConahay, M.M., Cadmus Jr., R.R., Stencel, R.E., Eriksson, K.* 465

Formation of dust grains in the ejecta of SN 1987 A. II

- Kozasa, T., Hasegawa, H., Nomoto, K.* 474

Diffuse matter in space (including H II regions and planetary nebulae)

IRAS 22568 + 6141: a new bipolar planetary nebula

- García Lario, P., Manchado, A., Riera, A., Mampaso, A., Pottasch, S.R.* 223

The spin temperature of HVC 131 + 1–200

- Wakker, B.P., Vijfschaft, B., Schwarz, U.J.* 233

CO observations of fragmentation in dark clouds north of the California nebula NGC 1499

- Herbertz, R., Ungerechts, H., Winnewisser, G.* 483

Molecular observations of a pair of dense cores in the dark cloud L 1155

- Harjunpää, P., Liljeström, T., Mattila, K.* 493

Spatial inhomogeneities in giant extragalactic H II regions

- Masegosa, J., Moles, M., del Olmo, A.* 505

(RN) On the distance to M1-67		Dynamics of comets in the outer planetary region. I. A numerical experiment	
<i>Crawford, I.A., Barlow, M.J.</i>	518	<i>Manara, A., Valsecchi, G.B.</i>	269
20 μm observations of Cassiopeia A		Complex dynamical behaviour of the asteroid 2335 James associated with the secular resonances ν_5 and ν_{16}: numerical studies and theoretical interpretation	
<i>Greidanus, H., Strom, R.G.</i>	521	<i>Froeschlé, Ch., Morbidelli, A., Scholl, H.</i>	553
The Sun		Celestial mechanics and astrometry	
The effect of non-linear oscillations in magnetic flux tubes on Stokes V asymmetry		The orbit of 203 Pompeja and the mass of Ceres	
<i>Grossmann-Doerth, U., Schüssler, M., Solanki, S.K.</i>	239	<i>Goffin, E.</i>	563
Loop ensemble models of solar active regions		Saturn's position derived from meridian circle observations of Titan and Iapetus	
<i>Brown, S.F.</i>	243	<i>Taylor, D.B., Morrison, L.V., Rapaport, M.</i>	569
The meridional motions of stable recurrent sunspots		Physical and chemical processes	
<i>Lustig, G., Wöhl, H.</i>	528	The interpretation of density sensitive line diagnostics from inhomogeneous plasmas. II. Non-isothermal plasmas	
Study of small scale magnetic flux and the corresponding velocity pattern		<i>Brown, J.C., Dwivedi, B.N., Almléaky, Y.M., Sweet, P.A.</i>	277
<i>Alissandrakis, C.E., Dara, H.C., Koutchmy, S.</i>	533	Variability of accretion discs around compact objects	
The solar abundance of iron: a "final" word!		<i>Lasota, J.P., Pelat, D.</i>	574
<i>Biémont, E., Baudoux, M., Kurucz, R.L., Ansbacher, W., Pinnington, E.H.</i>	539	Signatures of magnetic photon splitting in gamma-ray burst spectra	
A redetermination of the solar iron abundance based on new Fe I oscillator strengths		<i>Baring, M.G.</i>	581
<i>Holweger, H., Bard, A., Kock, A., Kock, M.</i>	545	(RN) Oscillator strengths for Y III and Zr III in the IUE region	
(RN) First identification of pure rotation lines of NH in the infrared solar spectrum		<i>Redfors, A.</i>	589
<i>Geller, M., Sauval, A.J., Grevesse, N., Farmer, C.B., Norton, R.H.</i>	550	Instruments, data processing, and computational methods	
The solar system		Accretion disk image reconstructions in V 4140 Sgr (NSV 12615)	
On the elliptical polarization of Jupiter's decametric radio emission		<i>Baptista, R., Steiner, J.E.</i>	284
<i>Melrose, D.B., Dulk, G.A.</i>	250	(RN) Search algorithm for weak periodicities in definite time intervals	
Comet P/Halley's dust production rate at Giotto encounter derived from Halley Multicolour Camera observations		<i>Carbonell, M., Ballester, J.L.</i>	295
<i>Thomas, N., Keller, H.U.</i>	258		